


SoundPET RCT




SoundPET is a, 100% recyclable, PET based sound absorber. Besides its very efficient acoustic behavior, this material is also compatible with public-use safety and fire ratings and classifies as a Class 1 product according to the OEKO-TEX® Standard 100. This ecologically friendly and nontoxic material can be applied in any surface, cavity and situation (indoors and outdoors), due to its humidity resistance and high mechanical resistance to abrasion and impact.

Features

Type:
Absorber

Absorption Range:
350 Hz to 8000 Hz

Performance




This product is available in the following Fire Rate:
FR | Fire Rated

PRODUCT COMPOSITION:

SoundPET
- Sound PET acoustic core - Euroclass B-s1d0, EN 13501-1

TECHNICAL INFORMATION:

- Density[kg/m³] = 40
- Thermal Conductivity [W/(m*K)]
Value: 0,034 | Standard: ISO 22007
- Hygroscopic Sorption [u]
Value: < 1% | Standard: ISO 12571



Add-ons



GlueArt



Instant Fix Kit


Disclaimer

The PET core is a material made entirely from recycled PET plastic, that undergoes an environmentally-friendly transformation process into the non-woven acoustic core we use in this panel. To keep this process as efficient as possible, the thickness of the product may vary slightly ($\pm 3\text{mm}$).

Dimensions	Weight	Box
FR - P 1190x595x30mm	0.9 Kg	Quantity per box: 1 Dimensions: xxmm Volume: 0.0m3 Weight: Kg

SoundPET RCT

(FR - P) Sound PET Finishes



FR | (F06) Bianco (1190 x 595 xFR | (F07) Nero (1190 x 595 x
30 mm)

Retail code:
024033060040022



30 mm)
Retail code:
024033060040052